

A service of the U.S. National Library of Medicine
and the National Institutes of Health

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC
Journals Books

Search PubMed for influenza rab11 Go Clear

[Advanced Search](#)
[Save Search](#)

[Limits](#) [Preview/Index](#) [History](#) [Clipboard](#) [Details](#)

Display Summary Show 20 Sort By Send to

All: 2 Review: 0

Items 1 - 2 of 2

One page.

Recent Activity

- ☐ 1: [Differential involvement of endocytic compartments in the biosynthetic traffic of apical proteins.](#)

Cresawn KO, Potter BA, Oztan A, Guerriero CJ, Ihrke G, Goldenring JR, Apodaca G, Weisz OA.

EMBO J. 2007 Aug 22;26(16):3737-48. Epub 2007 Aug 2.

PMID: 17673908 [PubMed - indexed for MEDLINE]

[Related Articles](#) [View article in PMC](#)

- ☐ 2: [Rab11 is required for trans-golgi network-to-plasma membrane transport and a preferential target for GDP dissociation inhibitor.](#)

Chen W, Feng Y, Chen D, Wandinger-Ness A.

Mol Biol Cell. 1998 Nov;9(11):3241-57.

PMID: 9802909 [PubMed - indexed for MEDLINE]

[Related Articles](#) [View article in PMC](#)

[Turn Off](#) [Clear](#)

[influenza](#)

[rab11](#) (2)

[\(lipid rafts\) AND virus r...](#) (63)

A galactosylceramide binding domain is involved in trafficking of CLN3 from Golgi to rafts via recyc...

[rylova 449](#) (1)

[PubMed](#)

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)